

Facility Code: 01306-13 Name of Operator: Ace Automatics Address of Operator: 1771 Auburn Rd. Seneca Falls, NY 13148  
Location of Vending Machines: Elmira Correctional Facility Address: 1879 Davis St. Elmira, NY 14901

Office Code: 07 Operation ID: C977407 Month: 08 Day: 23 Year: 22 HCS ID: LMS02 Service Time: 0100  
Service Type (Pick Only One): [ ] REINSPECTION [ ] PRE-OPERATIONAL [ ] HACCP ONLY [ ] COMPLAINT [ ] FIELD VISIT [ ] INCIDENT [ ] ILLNESS [ ]  
Date of Service: 08/23/22

INSPECTION [ ] REINSPECTION [ ] PRE-OPERATIONAL [ ] HACCP ONLY [ ] COMPLAINT [ ] FIELD VISIT [ ] INCIDENT [ ] ILLNESS [ ]  
Number of Red Violations Found: 00 Total Red Violations Not Corrected: 00 Number of Blue Violations Found: 01 Reinspection Required: [ ] Yes [X] No

PUBLIC HEALTH HAZARDS		Y (N) Y (N) Y (N) Y (N) Y (N)	Food Products Measurements:		
			PRODUCT	TEMP	
1	Food adulterated, contaminated, unfit or re-served .10 (b) (1), (b) (3); .30 (b); .31 (a), (c); .32 (a); .40 (a), (c); .89 (b)	(N)	Economic Violation	11oz SP Chicken	44F
2	Potentially hazardous food held at unacceptable temperatures for improper period of time except while servicing machine .10 (b) (2); .30 (c); .40 (a), (b), (c); .51	(N)	Valid Permit	BBQ chicken	40F
3	Toxic items improperly stored, used, labeled; not lawfully permitted .10 (b) (4); .60 (a)	(N)	Ownership Identification on Machine		
4	Persons with disease transmissible by food not restricted .10 (b) (5); .70	(N)	Choking Poster Displayed		
5	Potable water not in compliance or protected .10 (b) (6), (b) (7); .120; .150 (d)	(N)	Satisfactory		
6	Waste water or sewage - Improper disposal .10 (b) (8); .40 (a); .100 (a); .130; .150 (d)				
7	Vending machine - Electrical or mechanical hazard .10 (b) (9); 96 (a), (b)				
FOOD PROTECTION					
8	Food not properly labeled .31 (b); .40 (d)				
9	Thermometers inaccurate, improperly located .40 (e); .51				
10	Potentially hazardous food improperly dispensed .32 (b); .41; .42				
11	Food, including condiments, not properly protected .43; .44; .45 (a), (b), (c)				
12	During transportation, food, utensils, equipment and tableware not protected from contamination, Food not separate from chemicals and supplies .40 (a); .50; .52; .53; .95				
13	Improper employee hygienic practice/personal cleanliness .71; .100 (c)				
EXTERIOR - FOOD VENDING MACHINE					
14	Food not protected from contamination .80; .81; .82; .83; .87; .88; .90; .91 (a), (b); .94				
15	Materials and surfaces improper, not easily cleanable .81; .82 (a), (b), (c); .84; .85; .86; .87; .89 (a), (b); .95 (b)				
16	Food contact, non-food contact surface not clean .86; .89 (b)				
EXTERIOR - FOOD VENDING MACHINE					
17	Exterior. Not secure, clean or easily cleanable .90 (a), (b); .95 (b); .96 (b)				
18	Service connections not secured .93; .96 (a)				
VENDING AREA - EQUIPMENT LOCATION					
19	Machine(s) location. Improper ventilation. Lighting: area not clean or cleanable .92; .100 (a), (b), (d); .170				
EQUIPMENT AND UTENSIL CLEANING AND SANITATION					
20	Equipment and utensils not clean and/or sanitized or protected .95; .100 (a), (b), (c); .111; .112; .113; .115				
21	Wiping cloths misused .114				
22	Cleaning records not maintained .116				
PLUMBING					
23	Handwashing facilities, toilet facilities, incomplete, no handwashing sign, common towel, unclean .143 (a), (b), (c), (d), (e); .142 (a), (b), (c)				
24	Plumbing improperly sized, installed, maintained .89; .140; .141				
INSECTS/RODENTS/TRASH					
25	Garbage and refuse not stored or disposed of in a sanitary manner, inadequate, improperly located .150 (a), (b), (c), (d), (e)				
26	Insect/rodent not controlled .90 (a), (b), (c); .93; .100 (a); .160				

Food Products Measurements:	
PRODUCT	TEMP
11oz SP Chicken	44F
BBQ chicken	40F

-observed potentially hazardous food items cold held at 45F or below.

Observed monitoring thermometers in all machines w/ potentially hazardous food items

observed required labeling on all machines

-22; cleaning logs not maintained. Employee made cleaning logs for future use CORRECTED

PERSON INTERVIEWED AND TITLE (SIGNATURE)  
SIGNATURE OF INSPECTOR